



Soils Map



Soils data provided by USDA and NRCS.



State: **Kansas**
 County: **Bourbon**
 Location: **2-25S-22E**
 Township: **Marion**
 Acres: **88**
 Date: **4/4/2016**

Maps Provided By:

 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2016 www.AgriDataInc.com



Area Symbol: KS011, Soil Area Version: 16

| Code | Soil Description | Acres | Percent of field | Non-Irr Class Legend | Non-Irr Class *c | Tall fescue | Tall fescue hay | Bromegrass hay | Warm season grasses | Winter wheat |
|-------------------------|--|-------|------------------|----------------------|------------------|-------------|-----------------|----------------|---------------------|--------------|
| 8302 | Verdigris silt loam, 0 to 1 percent slopes, occasionally flooded | 26.42 | 30.0% | | IIw | | | | | |
| 8863 | Parsons silt loam, 0 to 1 percent slopes | 20.62 | 23.4% | | IIIw | | | | | |
| 8875 | Ringo-Clareson complex, 8 to 15 percent slopes | 12.28 | 14.0% | | Vle | 3 | 2 | 1 | 1 | 3 |
| 8775 | Kenoma silt loam, 1 to 3 percent slopes | 7.99 | 9.1% | | IIle | | | | | |
| 8657 | Clareson stony silty clay loam, 1 to 3 percent slopes | 7.77 | 8.8% | | VI s | | | | | |
| 8990 | Zaar silty clay, 0 to 1 percent slopes | 6.85 | 7.8% | | IIIw | | | | | |
| 8992 | Zaar silty clay, 3 to 7 percent slopes | 5.61 | 6.4% | | IVe | | | | | |
| 8501 | Mason silt loam, 0 to 1 percent slopes, rarely flooded | 0.46 | 0.5% | | Iw | | | | | |
| Weighted Average | | | | | | 0.4 | 0.3 | 0.1 | 0.1 | 0.4 |

Area Symbol: KS011, Soil Area Version: 16

*c: Using Capabilities Class Dominant Condition Aggregation Method

Soils data provided by USDA and NRCS.